

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

Body F, September 2003						
9/1/2003 0:00	30.30	86.54	28.41	78.48	5.06	
9/1/2003 0:30	30.17	86.31	28.60	75.80	4.89	
9/1/2003 1:00	30.14	86.25	28.59	76.22	4.92	
9/1/2003 1:30	30.05	86.09	28.59	74.83	4.84	
9/1/2003 2:00	29.99	85.98	28.65	72.25	4.67	
9/1/2003 2:30	29.97	85.95	28.64	72.47	4.69	
9/1/2003 3:00	29.90	85.82	28.70	70.29	4.55	
9/1/2003 3:30	29.88	85.78	28.68	68.31	4.42	
9/1/2003 4:00	29.80	85.64	28.60	68.83	4.46	
9/1/2003 4:30	29.77	85.59	28.59	69.05	4.48	
9/1/2003 5:00	29.77	85.59	28.51	66.57	4.32	
9/1/2003 5:30	29.64	85.35	28.44	68.59	4.46	
9/1/2003 6:00	29.60	85.28	28.19	65.70	4.28	
9/1/2003 6:30	29.52	85.14	27.89	66.52	4.35	
9/1/2003 7:00	29.50	85.10	27.76	64.34	4.21	
9/1/2003 7:30	29.49	85.08	27.52	62.96	4.13	
9/1/2003 8:00	29.40	84.92	26.51	60.88	4.02	
9/1/2003 8:30	29.44	84.99	26.65	61.00	4.02	
9/1/2003 9:00	29.50	85.10	26.42	64.02	4.22	
9/1/2003 9:30	29.67	85.41	26.36	63.64	4.18	
9/1/2003 10:00	29.52	85.14	26.63	62.86	4.13	
9/1/2003 10:30	29.46	85.03	26.69	60.27	3.97	
9/1/2003 11:00	29.57	85.23	26.65	60.79	4.00	
9/1/2003 11:30	29.82	85.68	26.64	66.41	4.34	
9/1/2003 12:00	30.10	86.18	26.63	72.13	4.70	
9/1/2003 12:30	30.38	86.68	26.76	74.95	4.86	
9/1/2003 13:00	30.49	86.88	27.01	76.17	4.92	
9/1/2003 13:30	30.59	87.06	27.13	78.59	5.07	
9/1/2003 14:00	30.58	87.04	27.64	80.61	5.19	
9/1/2003 14:30	30.71	87.28	28.03	84.23	5.41	
9/1/2003 15:00	30.77	87.39	28.05	90.24	5.80	
9/1/2003 15:30	30.88	87.58	27.60	88.46	5.69	
9/1/2003 16:00	30.88	87.58	27.35	87.98	5.66	
9/1/2003 16:30	30.77	87.39	27.40	88.90	5.73	
9/1/2003 17:00	30.76	87.37	27.37	88.92	5.73	
9/1/2003 17:30	30.71	87.28	27.30	87.74	5.66	
9/1/2003 18:00	30.61	87.10	27.34	84.16	5.43	
9/1/2003 18:30	30.52	86.94	27.35	84.48	5.46	
9/1/2003 19:00	30.60	87.08	27.60	81.40	5.25	
9/1/2003 19:30	30.54	86.97	27.65	79.31	5.11	
9/1/2003 20:00	30.48	86.86	27.79	78.53	5.06	
9/1/2003 20:30	30.35	86.63	27.66	79.55	5.14	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/1/2003 21:00	30.40	86.72	27.67	75.97	4.90	
9/1/2003 21:30	30.35	86.63	27.54	75.29	4.87	
9/1/2003 22:00	30.36	86.65	27.31	72.31	4.67	
9/1/2003 22:30	30.34	86.61	27.16	66.03	4.27	
9/1/2003 23:00	30.37	86.67	27.29	65.85	4.25	
9/1/2003 23:30	30.25	86.45	27.20	67.77	4.39	
9/2/2003 0:00	30.00	86.00	27.33	73.88	4.81	
9/2/2003 0:30	29.86	85.75	27.51	74.10	4.83	
9/2/2003 1:00	29.81	85.66	27.57	72.02	4.69	
9/2/2003 1:30	29.61	85.30	27.69	72.94	4.77	
9/2/2003 2:00	29.15	84.47	27.61	73.96	4.87	
9/2/2003 2:30	29.14	84.45	27.49	72.38	4.77	
9/2/2003 3:00	29.27	84.69	27.58	69.10	4.54	
9/2/2003 3:30	29.47	85.05	27.64	65.82	4.31	
9/2/2003 4:00	29.51	85.12	27.55	63.04	4.13	
9/2/2003 4:30	29.47	85.05	27.59	63.05	4.13	
9/2/2003 5:00	29.45	85.01	27.46	62.37	4.09	
9/2/2003 5:30	29.34	84.81	27.32	62.29	4.10	
9/2/2003 6:00	29.22	84.60	27.07	62.41	4.12	
9/2/2003 6:30	28.82	83.88	26.73	65.63	4.37	
9/2/2003 7:00	28.89	84.00	26.53	63.35	4.22	
9/2/2003 7:30	28.92	84.06	26.14	61.67	4.11	
9/2/2003 8:00	29.11	84.40	26.28	61.79	4.10	
9/2/2003 8:30	29.02	84.24	26.09	61.61	4.10	
9/2/2003 9:00	28.97	84.15	25.96	61.32	4.09	
9/2/2003 9:30	29.01	84.22	26.00	63.24	4.21	
9/2/2003 10:00	29.06	84.31	26.02	63.96	4.26	
9/2/2003 10:30	29.08	84.34	25.99	61.18	4.07	
9/2/2003 11:00	29.18	84.52	25.97	64.40	4.28	
9/2/2003 11:30	29.23	84.61	26.09	64.02	4.24	
9/2/2003 12:00	29.28	84.70	25.88	66.14	4.38	
9/2/2003 12:30	29.33	84.79	25.85	69.16	4.58	
9/2/2003 13:00	29.61	85.30	26.03	74.48	4.90	
9/2/2003 13:30	29.76	85.57	25.80	78.09	5.13	
9/2/2003 14:00	29.85	85.73	25.74	80.91	5.31	
9/2/2003 14:30	29.84	85.71	25.86	77.83	5.11	
9/2/2003 15:00	29.88	85.78	26.18	77.95	5.10	
9/2/2003 15:30	29.84	85.71	26.36	80.37	5.26	
9/2/2003 16:00	29.79	85.62	26.28	83.29	5.46	
9/2/2003 16:30	29.80	85.64	26.42	85.51	5.60	
9/2/2003 17:00	29.85	85.73	26.44	87.73	5.74	
9/2/2003 17:30	30.00	86.00	26.86	87.55	5.71	
9/2/2003 18:00	29.98	85.96	26.79	85.66	5.59	
9/2/2003 18:30	29.92	85.86	26.78	82.68	5.40	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/2/2003 19:00	29.84	85.71	26.69	83.20	5.44	
9/2/2003 19:30	29.79	85.62	26.81	82.22	5.38	
9/2/2003 20:00	29.75	85.55	27.15	80.34	5.25	
9/2/2003 20:30	29.74	85.53	27.10	76.96	5.03	
9/2/2003 21:00	29.65	85.37	26.92	76.08	4.98	
9/2/2003 21:30	29.59	85.26	26.96	74.30	4.87	
9/2/2003 22:00	29.51	85.12	26.92	73.92	4.85	
9/2/2003 22:30	29.43	84.97	26.83	73.53	4.84	
9/2/2003 23:00	29.40	84.92	26.49	73.25	4.83	
9/2/2003 23:30	29.30	84.74	26.52	73.77	4.87	
9/3/2003 0:00	29.21	84.58	26.69	75.09	4.96	
9/3/2003 0:30	29.15	84.47	26.73	76.31	5.04	
9/3/2003 1:00	29.11	84.40	26.87	75.73	5.00	
9/3/2003 1:30	29.03	84.25	27.13	73.45	4.86	
9/3/2003 2:00	28.85	83.93	27.05	74.87	4.96	
9/3/2003 2:30	28.89	84.00	26.92	71.79	4.76	
9/3/2003 3:00	28.84	83.91	27.05	70.10	4.65	
9/3/2003 3:30	28.84	83.91	27.09	70.02	4.65	
9/3/2003 4:00	28.84	83.91	26.83	68.04	4.52	
9/3/2003 4:30	28.81	83.86	27.12	68.46	4.55	
9/3/2003 5:00	28.77	83.79	26.66	68.18	4.54	
9/3/2003 5:30	28.66	83.59	26.68	70.40	4.69	
9/3/2003 6:00	28.56	83.41	26.52	70.82	4.73	
9/3/2003 6:30	28.54	83.37	26.75	67.54	4.52	
9/3/2003 7:00	28.52	83.34	26.64	65.46	4.38	
9/3/2003 7:30	28.50	83.30	26.70	64.87	4.34	
9/3/2003 8:00	28.51	83.32	26.66	64.89	4.35	
9/3/2003 8:30	28.52	83.34	26.55	62.41	4.19	
9/3/2003 9:00	28.54	83.37	26.50	62.53	4.19	
9/3/2003 9:30	28.65	83.57	26.42	60.95	4.08	
9/3/2003 10:00	28.68	83.62	26.43	61.37	4.11	
9/3/2003 10:30	28.87	83.97	26.18	65.69	4.38	
9/3/2003 11:00	28.91	84.04	26.40	70.41	4.68	
9/3/2003 11:30	29.00	84.20	26.47	76.62	5.08	
9/3/2003 12:00	29.13	84.43	26.36	83.94	5.55	
9/3/2003 12:30	29.15	84.47	26.39	85.16	5.63	
9/3/2003 13:00	29.22	84.60	26.31	89.98	5.94	
9/3/2003 13:30	29.26	84.67	26.37	92.20	6.08	
9/3/2003 14:00	29.28	84.70	26.34	94.12	6.21	
9/3/2003 14:30	29.32	84.78	26.41	96.14	6.33	
9/3/2003 15:00	29.40	84.92	26.27	95.46	6.29	
9/3/2003 15:30	29.46	85.03	26.29	97.78	6.43	
9/3/2003 16:00	29.50	85.10	26.33	98.49	6.48	
9/3/2003 16:30	29.57	85.23	26.42	99.91	6.56	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/3/2003 17:00	29.88	85.78	26.25	99.33	6.50	
9/3/2003 17:30	29.67	85.41	26.34	97.45	6.40	
9/3/2003 18:00	29.62	85.32	26.44	93.27	6.12	
9/3/2003 18:30	29.61	85.30	26.31	88.29	5.80	
9/3/2003 19:00	29.64	85.35	26.70	83.91	5.50	
9/3/2003 19:30	29.82	85.68	26.47	82.93	5.43	
9/3/2003 20:00	29.93	85.87	26.52	83.25	5.44	
9/3/2003 20:30	29.98	85.96	26.39	81.36	5.32	
9/3/2003 21:00	30.05	86.09	26.45	82.38	5.38	
9/3/2003 21:30	30.25	86.45	26.47	88.00	5.73	
9/3/2003 22:00	30.18	86.32	26.15	85.02	5.55	
9/3/2003 22:30	30.15	86.27	26.57	78.44	5.11	
9/3/2003 23:00	30.10	86.18	26.25	78.36	5.11	
9/3/2003 23:30	30.02	86.04	26.55	82.78	5.40	
9/4/2003 0:00	30.06	86.11	25.81	82.20	5.38	
9/4/2003 0:30	30.04	86.07	25.88	81.52	5.33	
9/4/2003 1:00	29.98	85.96	25.81	81.73	5.35	
9/4/2003 1:30	30.01	86.02	25.96	75.65	4.95	
9/4/2003 2:00	29.98	85.96	26.18	71.67	4.69	
9/4/2003 2:30	29.97	85.95	26.07	69.49	4.55	
9/4/2003 3:00	29.94	85.89	25.95	70.01	4.58	
9/4/2003 3:30	29.91	85.84	25.96	69.43	4.55	
9/4/2003 4:00	29.88	85.78	25.97	69.65	4.57	
9/4/2003 4:30	29.86	85.75	26.17	69.67	4.56	
9/4/2003 5:00	29.85	85.73	26.36	66.09	4.33	
9/4/2003 5:30	29.83	85.69	26.21	63.60	4.17	
9/4/2003 6:00	29.84	85.71	26.53	62.62	4.10	
9/4/2003 6:30	29.79	85.62	26.17	52.34	3.43	
9/4/2003 7:00	29.76	85.57	26.13	60.06	3.94	
9/4/2003 7:30	29.75	85.55	25.98	60.28	3.96	
9/4/2003 8:00	29.78	85.60	26.03	56.70	3.72	
9/4/2003 8:30	29.81	85.66	26.23	46.82	3.07	
9/4/2003 9:00	29.84	85.71	26.29	48.24	3.16	
9/4/2003 9:30	29.86	85.75	26.33	43.16	2.82	
9/4/2003 10:00	29.88	85.78	26.06	48.27	3.16	
9/4/2003 10:30	29.99	85.98	26.10	48.89	3.19	
9/4/2003 11:00	30.19	86.34	26.07	60.81	3.96	
9/4/2003 11:30	30.07	86.13	25.96	57.13	3.73	
9/4/2003 12:00	30.13	86.23	25.76	63.25	4.13	
9/4/2003 12:30	30.17	86.31	25.95	68.57	4.47	
9/4/2003 13:00	30.33	86.59	26.28	76.39	4.97	
9/4/2003 13:30	30.38	86.68	25.95	78.51	5.11	
9/4/2003 14:00	30.38	86.68	25.77	75.13	4.89	
9/4/2003 14:30	30.33	86.59	25.86	68.34	4.45	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/4/2003 15:00	30.32	86.58	25.98	63.66	4.14	
9/4/2003 15:30	30.30	86.54	26.28	61.98	4.02	
9/4/2003 16:00	30.23	86.41	25.79	65.90	4.30	
9/4/2003 16:30	30.17	86.31	26.07	68.32	4.45	
9/4/2003 17:00	30.11	86.20	25.80	70.94	4.64	
9/4/2003 17:30	30.08	86.14	26.14	72.96	4.76	
9/4/2003 18:00	30.11	86.20	25.97	74.48	4.86	
9/4/2003 18:30	30.17	86.31	25.95	73.30	4.78	
9/4/2003 19:00	30.21	86.38	26.02	73.11	4.77	
9/4/2003 19:30	30.23	86.41	26.18	72.83	4.74	
9/4/2003 20:00	30.27	86.49	26.14	72.65	4.73	
9/4/2003 20:30	30.32	86.58	26.27	71.87	4.67	
9/4/2003 21:00	30.37	86.67	26.44	71.59	4.64	
9/4/2003 21:30	30.39	86.70	26.02	71.51	4.65	
9/4/2003 22:00	30.33	86.59	25.97	72.03	4.69	
9/4/2003 22:30	30.20	86.36	26.02	71.25	4.64	
9/4/2003 23:00	30.02	86.04	25.79	70.47	4.61	
9/4/2003 23:30	30.06	86.11	25.82	69.58	4.55	
9/5/2003 0:00	30.08	86.14	26.04	67.00	4.38	
9/5/2003 0:30	30.09	86.16	25.75	66.32	4.34	
9/5/2003 1:00	30.15	86.27	25.98	64.54	4.21	
9/5/2003 1:30	30.13	86.23	25.94	61.26	4.00	
9/5/2003 2:00	30.13	86.23	25.80	61.38	4.01	
9/5/2003 2:30	30.11	86.20	26.12	61.40	4.00	
9/5/2003 3:00	30.09	86.16	25.90	60.12	3.93	
9/5/2003 3:30	30.07	86.13	25.64	59.94	3.92	
9/5/2003 4:00	30.06	86.11	25.96	61.15	4.00	
9/5/2003 4:30	30.06	86.11	25.99	62.17	4.06	
9/5/2003 5:00	30.05	86.09	25.95	62.29	4.07	
9/5/2003 5:30	30.03	86.05	25.87	61.71	4.04	
9/5/2003 6:00	29.96	85.93	25.58	60.23	3.95	
9/5/2003 6:30	29.64	85.35	25.89	65.15	4.29	
9/5/2003 7:00	29.57	85.23	25.65	65.47	4.32	
9/5/2003 7:30	29.52	85.14	25.54	63.99	4.23	
9/5/2003 8:00	29.52	85.14	25.53	64.51	4.27	
9/5/2003 8:30	29.50	85.10	25.50	65.42	4.33	
9/5/2003 9:00	29.51	85.12	25.55	67.04	4.43	
9/5/2003 9:30	29.57	85.23	25.59	68.06	4.49	
9/5/2003 10:00	29.66	85.39	25.58	69.78	4.60	
9/5/2003 10:30	29.74	85.53	25.61	72.80	4.79	
9/5/2003 11:00	29.83	85.69	25.53	76.72	5.04	
9/5/2003 11:30	29.92	85.86	25.54	80.94	5.31	
9/5/2003 12:00	30.02	86.04	25.58	87.56	5.74	
9/5/2003 12:30	30.08	86.14	25.37	92.28	6.04	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/5/2003 13:00	30.19	86.34	25.43	93.19	6.09	
9/5/2003 13:30	30.25	86.45	25.21	91.01	5.95	
9/5/2003 14:00	30.27	86.49	25.33	92.03	6.01	
9/5/2003 14:30	30.28	86.50	25.24	93.85	6.13	
9/5/2003 15:00	30.34	86.61	25.42	98.07	6.40	
9/5/2003 15:30	30.26	86.47	25.47	98.89	6.46	
9/5/2003 16:00	30.17	86.31	25.74	96.71	6.32	
9/5/2003 16:30	30.13	86.23	25.65	95.53	6.25	
9/5/2003 17:00	30.11	86.20	25.58	94.05	6.15	
9/5/2003 17:30	30.07	86.13	25.67	92.76	6.07	
9/5/2003 18:00	30.00	86.00	25.72	91.58	6.00	
9/5/2003 18:30	29.89	85.80	26.10	88.70	5.81	
9/5/2003 19:00	29.83	85.69	26.06	86.42	5.67	
9/5/2003 19:30	29.74	85.53	26.25	85.64	5.62	
9/5/2003 20:00	29.65	85.37	26.51	86.06	5.65	
9/5/2003 20:30	29.50	85.10	26.42	84.68	5.57	
9/5/2003 21:00	29.32	84.78	26.35	85.10	5.61	
9/5/2003 21:30	29.21	84.58	26.53	83.82	5.53	
9/5/2003 22:00	29.14	84.45	26.32	80.63	5.34	
9/5/2003 22:30	29.03	84.25	26.86	79.45	5.26	
9/5/2003 23:00	28.77	83.79	26.80	81.67	5.42	
9/5/2003 23:30	28.46	83.23	26.12	83.19	5.56	
9/6/2003 0:00	28.31	82.96	26.32	82.81	5.54	
9/6/2003 0:30	28.23	82.81	26.34	81.23	5.44	
9/6/2003 1:00	28.17	82.71	26.38	81.05	5.44	
9/6/2003 1:30	28.11	82.60	25.96	80.07	5.39	
9/6/2003 2:00	28.00	82.40	26.05	79.89	5.38	
9/6/2003 2:30	27.86	82.15	26.33	79.30	5.35	
9/6/2003 3:00	27.72	81.90	26.65	79.02	5.33	
9/6/2003 3:30	27.53	81.55	26.81	78.24	5.29	
9/6/2003 4:00	27.44	81.39	26.86	79.16	5.36	
9/6/2003 4:30	27.44	81.39	26.92	78.18	5.29	
9/6/2003 5:00	27.32	81.18	27.01	78.80	5.34	
9/6/2003 5:30	27.20	80.96	27.10	77.72	5.28	
9/6/2003 6:00	27.20	80.96	27.37	77.74	5.27	
9/6/2003 6:30	27.24	81.03	27.43	76.06	5.16	
9/6/2003 7:00	27.13	80.83	27.55	75.27	5.11	
9/6/2003 7:30	27.04	80.67	27.40	74.29	5.06	
9/6/2003 8:00	27.19	80.94	27.31	73.01	4.97	
9/6/2003 8:30	27.14	80.85	27.35	74.43	5.06	
9/6/2003 9:00	27.09	80.76	27.43	74.65	5.08	
9/6/2003 9:30	27.38	81.28	27.33	77.37	5.24	
9/6/2003 10:00	27.55	81.59	27.31	77.99	5.26	
9/6/2003 10:30	27.37	81.27	27.55	79.71	5.39	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/6/2003 11:00	27.46	81.43	27.62	78.03	5.27	
9/6/2003 11:30	27.43	81.37	27.60	78.54	5.30	
9/6/2003 12:00	27.60	81.68	27.50	79.76	5.37	
9/6/2003 12:30	27.76	81.97	27.48	41.98	2.89	
9/6/2003 13:00	28.04	82.47	27.46	87.30	5.83	
9/6/2003 13:30	28.04	82.47	27.51	95.92	6.40	
9/6/2003 14:00	27.21	80.98	27.92	102.44	6.88	
9/6/2003 14:30	27.48	81.46	27.86	103.46	6.93	
9/6/2003 15:00	27.53	81.55	27.84	101.98	6.83	
9/6/2003 15:30	27.52	81.54	28.39	99.00	6.62	
9/6/2003 16:00	27.59	81.66	28.12	103.31	6.90	
9/6/2003 16:30	27.68	81.82	28.09	102.33	6.83	
9/6/2003 17:00	27.69	81.84	28.11	102.65	6.85	
9/6/2003 17:30	27.72	81.90	28.20	102.17	6.82	
9/6/2003 18:00	27.78	82.00	28.05	100.69	6.72	
9/6/2003 18:30	27.79	82.02	28.01	102.11	6.81	
9/6/2003 19:00	27.83	82.09	27.92	98.03	6.54	
9/6/2003 19:30	27.99	82.38	27.91	104.15	6.93	
9/6/2003 20:00	27.99	82.38	28.02	103.16	6.87	
9/6/2003 20:30	28.12	82.62	28.06	101.88	6.77	
9/6/2003 21:00	28.11	82.60	27.68	101.60	6.76	
9/6/2003 21:30	28.17	82.71	27.64	101.02	6.72	
9/6/2003 22:00	28.15	82.67	27.51	100.34	6.68	
9/6/2003 22:30	28.13	82.63	27.79	99.06	6.59	
9/6/2003 23:00	28.17	82.71	27.46	99.18	6.60	
9/6/2003 23:30	28.20	82.76	27.40	94.90	6.32	
9/7/2003 0:00	28.31	82.96	27.54	94.22	6.26	
9/7/2003 0:30	28.41	83.14	27.22	89.03	5.92	
9/7/2003 1:00	28.39	83.10	27.56	89.65	5.96	
9/7/2003 1:30	28.39	83.10	27.48	88.07	5.86	
9/7/2003 2:00	28.39	83.10	27.11	88.49	5.89	
9/7/2003 2:30	28.43	83.17	26.86	85.61	5.71	
9/7/2003 3:00	28.47	83.25	26.89	84.93	5.66	
9/7/2003 3:30	28.42	83.16	27.08	76.25	5.09	
9/7/2003 4:00	28.40	83.12	27.26	74.97	5.00	
9/7/2003 4:30	28.40	83.12	27.03	74.69	4.99	
9/7/2003 5:00	28.40	83.12	26.66	76.50	5.12	
9/7/2003 5:30	28.39	83.10	27.07	76.92	5.13	
9/7/2003 6:00	28.36	83.05	26.97	74.94	5.01	
9/7/2003 6:30	28.35	83.03	27.02	73.46	4.91	
9/7/2003 7:00	28.32	82.98	26.43	73.28	4.91	
9/7/2003 7:30	28.25	82.85	26.38	76.80	5.15	
9/7/2003 8:00	28.22	82.80	26.51	79.22	5.31	
9/7/2003 8:30	28.22	82.80	26.50	77.84	5.22	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/7/2003 9:00	28.20	82.76	26.65	78.46	5.26	
9/7/2003 9:30	28.19	82.74	26.76	79.87	5.35	
9/7/2003 10:00	28.23	82.81	26.42	78.69	5.28	
9/7/2003 10:30	28.27	82.89	26.60	77.21	5.17	
9/7/2003 11:00	28.29	82.92	26.66	82.23	5.50	
9/7/2003 11:30	28.35	83.03	26.65	83.75	5.59	
9/7/2003 12:00	28.45	83.21	26.73	89.27	5.95	
9/7/2003 12:30	28.59	83.46	26.51	94.89	6.31	
9/7/2003 13:00	28.87	83.97	26.31	101.31	6.71	
9/7/2003 13:30	29.18	84.52	26.19	104.63	6.91	
9/7/2003 14:00	29.47	85.05	26.17	111.74	7.35	
9/7/2003 14:30	29.61	85.30	26.14	114.96	7.55	
9/7/2003 15:00	29.77	85.59	26.08	116.78	7.66	
9/7/2003 15:30	29.82	85.68	25.88	119.40	7.83	
9/7/2003 16:00	29.88	85.78	25.71	121.32	7.96	
9/7/2003 16:30	29.91	85.84	25.73	120.54	7.90	
9/7/2003 17:00	29.84	85.71	25.73	118.26	7.76	
9/7/2003 17:30	29.80	85.64	25.81	117.08	7.68	
9/7/2003 18:00	29.75	85.55	25.74	113.30	7.44	
9/7/2003 18:30	29.77	85.59	25.81	109.31	7.18	
9/7/2003 19:00	29.88	85.78	25.87	115.63	7.58	
9/7/2003 19:30	29.94	85.89	26.12	115.35	7.55	
9/7/2003 20:00	29.83	85.69	26.43	116.47	7.63	
9/7/2003 20:30	29.74	85.53	26.68	116.99	7.66	
9/7/2003 21:00	29.67	85.41	26.28	114.11	7.49	
9/7/2003 21:30	29.65	85.37	26.84	114.83	7.52	
9/7/2003 22:00	29.45	85.01	27.08	112.55	7.39	
9/7/2003 22:30	29.20	84.56	27.17	111.87	7.36	
9/7/2003 23:00	29.17	84.51	27.13	108.08	7.11	
9/7/2003 23:30	29.07	84.33	26.83	103.80	6.85	
9/8/2003 0:00	29.03	84.25	27.22	94.82	6.25	
9/8/2003 0:30	28.94	84.09	27.72	94.94	6.26	
9/8/2003 1:00	28.89	84.00	27.40	92.36	6.10	
9/8/2003 1:30	28.90	84.02	27.39	85.88	5.68	
9/8/2003 2:00	28.88	83.98	27.07	98.60	6.52	
9/8/2003 2:30	28.90	84.02	27.12	97.32	6.43	
9/8/2003 3:00	28.93	84.07	27.10	95.24	6.29	
9/8/2003 3:30	28.91	84.04	26.79	91.05	6.03	
9/8/2003 4:00	28.83	83.89	27.14	89.77	5.94	
9/8/2003 4:30	28.70	83.66	27.75	67.69	4.49	
9/8/2003 5:00	28.54	83.37	27.99	58.91	3.92	
9/8/2003 5:30	28.31	82.96	27.87	70.13	4.68	
9/8/2003 6:00	28.20	82.76	28.55	69.75	4.65	
9/8/2003 6:30	28.16	82.69	28.46	68.87	4.60	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/8/2003 7:00	28.17	82.71	27.93	69.69	4.66	
9/8/2003 7:30	28.10	82.58	27.85	72.11	4.83	
9/8/2003 8:00	28.08	82.54	28.28	68.82	4.60	
9/8/2003 8:30	28.03	82.45	28.05	62.94	4.23	
9/8/2003 9:00	28.01	82.42	28.59	62.76	4.21	
9/8/2003 9:30	28.00	82.40	28.05	40.68	2.77	
9/8/2003 10:00	27.97	82.35	28.06	31.00	2.14	
9/8/2003 10:30						
9/8/2003 11:00						
9/8/2003 11:30						
9/8/2003 12:00						
9/8/2003 12:30						
9/8/2003 13:00						
9/8/2003 13:30						
9/8/2003 14:00						
9/8/2003 14:30						
9/8/2003 15:00						
9/8/2003 15:30						
9/8/2003 16:00						
9/8/2003 16:30						
9/8/2003 17:00						
9/8/2003 17:30						
9/8/2003 18:00						
9/8/2003 18:30						
9/8/2003 19:00						
9/8/2003 19:30						
9/8/2003 20:00						
9/8/2003 20:30						
9/8/2003 21:00						
9/8/2003 21:30						
9/8/2003 22:00						
9/8/2003 22:30						
9/8/2003 23:00						
9/8/2003 23:30						
9/9/2003 0:00						
9/9/2003 0:30						
9/9/2003 1:00						
9/9/2003 1:30						
9/9/2003 2:00						
9/9/2003 2:30						
9/9/2003 3:00						
9/9/2003 3:30						
9/9/2003 4:00						
9/9/2003 4:30						

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/9/2003 5:00						
9/9/2003 5:30						
9/9/2003 6:00						
9/9/2003 6:30						
9/9/2003 7:00						
9/9/2003 7:30						
9/9/2003 8:00						
9/9/2003 8:30						
9/9/2003 9:00						
9/9/2003 9:30						
9/9/2003 10:00						
9/9/2003 10:30						
9/9/2003 11:00						
9/9/2003 11:30						
9/9/2003 12:00						
9/9/2003 12:30						
9/9/2003 13:00						
9/9/2003 13:30						
9/9/2003 14:00						
9/9/2003 14:30						
9/9/2003 15:00						
9/9/2003 15:30						
9/9/2003 16:00						
9/9/2003 16:30						
9/9/2003 17:00						
9/9/2003 17:30						
9/9/2003 18:00						
9/9/2003 18:30						
9/9/2003 19:00						
9/9/2003 19:30						
9/9/2003 20:00						
9/9/2003 20:30						
9/9/2003 21:00						
9/9/2003 21:30						
9/9/2003 22:00						
9/9/2003 22:30						
9/9/2003 23:00						
9/9/2003 23:30						
9/10/2003 0:00						
9/10/2003 0:30						
9/10/2003 1:00						
9/10/2003 1:30						
9/10/2003 2:00						
9/10/2003 2:30						

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/10/2003 3:00						
9/10/2003 3:30						
9/10/2003 4:00						
9/10/2003 4:30						
9/10/2003 5:00						
9/10/2003 5:30						
9/10/2003 6:00						
9/10/2003 6:30						
9/10/2003 7:00						
9/10/2003 7:30						
9/10/2003 8:00						
9/10/2003 8:30						
9/10/2003 9:00						
9/10/2003 9:30						
9/10/2003 10:00						
9/10/2003 10:30						
9/10/2003 11:00						
9/10/2003 11:30						
9/10/2003 12:00						
9/10/2003 12:30						
9/10/2003 13:00						
9/10/2003 13:30						
9/10/2003 14:00						
9/10/2003 14:30						
9/10/2003 15:00						
9/10/2003 15:30						
9/10/2003 16:00						
9/10/2003 16:30						
9/10/2003 17:00						
9/10/2003 17:30						
9/10/2003 18:00						
9/10/2003 18:30						
9/10/2003 19:00						
9/10/2003 19:30						
9/10/2003 20:00						
9/10/2003 20:30						
9/10/2003 21:00						
9/10/2003 21:30						
9/10/2003 22:00						
9/10/2003 22:30						
9/10/2003 23:00						
9/10/2003 23:30						
9/11/2003 0:00						
9/11/2003 0:30						

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/11/2003 1:00						
9/11/2003 1:30						
9/11/2003 2:00						
9/11/2003 2:30						
9/11/2003 3:00						
9/11/2003 3:30						
9/11/2003 4:00						
9/11/2003 4:30						
9/11/2003 5:00						
9/11/2003 5:30						
9/11/2003 6:00						
9/11/2003 6:30						
9/11/2003 7:00						
9/11/2003 7:30						
9/11/2003 8:00						
9/11/2003 8:30						
9/11/2003 9:00						
9/11/2003 9:30						
9/11/2003 10:00	28.03	82.45	26.51	82.80	5.56	New Sonde
9/11/2003 10:30	28.28	82.90	28.08	66.12	4.40	
9/11/2003 11:00	28.34	83.01	28.40	61.13	4.06	
9/11/2003 11:30	28.36	83.05	28.11	68.55	4.56	
9/11/2003 12:00	28.42	83.16	28.64	63.66	4.22	
9/11/2003 12:30	28.49	83.28	28.83	64.08	4.23	
9/11/2003 13:00	28.61	83.50	28.71	68.30	4.51	
9/11/2003 13:30	28.78	83.80	28.14	98.31	6.48	
9/11/2003 14:00	28.87	83.97	28.22	96.53	6.36	
9/11/2003 14:30	29.08	84.34	27.90	102.84	6.77	
9/11/2003 15:00	29.43	84.97	28.53	103.36	6.76	
9/11/2003 15:30	30.22	86.40	29.10	108.07	6.99	
9/11/2003 16:00	30.04	86.07	27.28	116.69	7.62	
9/11/2003 16:30	29.86	85.75	26.50	111.71	7.33	
9/11/2003 17:00	29.72	85.50	25.87	106.82	7.03	
9/11/2003 17:30	29.60	85.28	24.71	113.24	7.50	
9/11/2003 18:00	29.47	85.05	24.56	111.65	7.41	
9/11/2003 18:30	29.40	84.92	24.15	102.47	6.82	
9/11/2003 19:00	29.55	85.19	24.96	86.19	5.71	
9/11/2003 19:30	29.56	85.21	25.96	73.40	4.85	
9/11/2003 20:00	29.46	85.03	25.38	69.52	4.61	
9/11/2003 20:30	29.75	85.55	27.95	64.93	4.22	
9/11/2003 21:00	29.61	85.30	27.56	65.85	4.30	
9/11/2003 21:30	29.60	85.28	27.44	61.27	4.00	
9/11/2003 22:00	29.44	84.99	27.32	71.78	4.71	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/11/2003 22:30	29.52	85.14	27.68	63.80	4.17	
9/11/2003 23:00	29.44	84.99	27.89	62.41	4.08	
9/11/2003 23:30	29.20	84.56	27.62	69.03	4.54	
9/12/2003 0:00	29.01	84.22	27.87	70.54	4.65	
9/12/2003 0:30	28.85	83.93	28.24	71.26	4.70	
9/12/2003 1:00	28.72	83.70	28.60	72.58	4.78	
9/12/2003 1:30	28.65	83.57	28.60	73.19	4.83	
9/12/2003 2:00	28.56	83.41	28.94	68.41	4.51	
9/12/2003 2:30	28.52	83.34	29.46	55.82	3.67	
9/12/2003 3:00	28.53	83.35	29.83	48.74	3.19	
9/12/2003 3:30	28.53	83.35	29.97	43.46	2.84	
9/12/2003 4:00	28.52	83.34	30.09	38.17	2.49	
9/12/2003 4:30	28.52	83.34	30.17	33.89	2.21	
9/12/2003 5:00	28.45	83.21	30.16	36.40	2.38	
9/12/2003 5:30	28.46	83.23	30.28	35.32	2.30	
9/12/2003 6:00	28.38	83.08	30.11	44.44	2.92	
9/12/2003 6:30	28.37	83.07	30.18	42.05	2.76	
9/12/2003 7:00	28.31	82.96	29.81	47.47	3.13	
9/12/2003 7:30	28.24	82.83	29.44	50.38	3.34	
9/12/2003 8:00	28.27	82.89	29.53	43.30	2.86	
9/12/2003 8:30	28.24	82.83	29.67	44.51	2.94	
9/12/2003 9:00	28.17	82.71	29.71	47.53	3.15	
9/12/2003 9:30	27.95	82.31	29.13	56.35	3.76	
9/12/2003 10:00	27.89	82.20	29.10	61.06	4.07	
9/12/2003 10:30	27.98	82.36	29.19	62.98	4.19	
9/12/2003 11:00	27.90	82.22	29.13	71.09	4.73	
9/12/2003 11:30	27.95	82.31	29.26	77.81	5.17	
9/12/2003 12:00	27.95	82.31	29.07	91.33	6.06	
9/12/2003 12:30	27.95	82.31	29.29	100.24	6.64	
9/12/2003 13:00	28.11	82.60	29.28	104.76	6.93	
9/12/2003 13:30	28.20	82.76	29.29	107.87	7.12	
9/12/2003 14:00	28.27	82.89	29.36	110.49	7.29	
9/12/2003 14:30	28.32	82.98	29.82	117.71	7.75	
9/12/2003 15:00	28.52	83.34	29.91	116.42	7.65	
9/12/2003 15:30	28.77	83.79	29.88	119.04	7.80	
9/12/2003 16:00	28.95	84.11	29.99	114.75	7.50	
9/12/2003 16:30	29.04	84.27	30.15	117.27	7.66	
9/12/2003 17:00	29.16	84.49	29.95	118.28	7.72	
9/12/2003 17:30	29.23	84.61	30.38	117.90	7.68	
9/12/2003 18:00	29.32	84.78	30.46	114.72	7.46	
9/12/2003 18:30	29.36	84.85	30.50	109.13	7.09	
9/12/2003 19:00	29.36	84.85	30.38	104.95	6.82	
9/12/2003 19:30	29.27	84.69	29.88	105.46	6.87	
9/12/2003 20:00	29.21	84.58	30.06	103.98	6.77	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/12/2003 20:30	29.18	84.52	29.81	106.20	6.93	
9/12/2003 21:00	29.14	84.45	30.02	98.21	6.40	
9/12/2003 21:30	29.18	84.52	31.03	88.63	5.74	
9/12/2003 22:00	29.11	84.40	31.34	88.24	5.71	
9/12/2003 22:30	28.97	84.15	31.59	87.06	5.64	
9/12/2003 23:00	28.67	83.61	32.10	87.28	5.66	
9/12/2003 23:30	28.54	83.37	32.45	87.39	5.67	
9/13/2003 0:00	28.43	83.17	32.65	84.11	5.45	
9/13/2003 0:30	28.31	82.96	32.76	83.52	5.42	
9/13/2003 1:00	28.19	82.74	32.89	83.44	5.42	
9/13/2003 1:30	28.09	82.56	33.19	83.65	5.43	
9/13/2003 2:00	28.02	82.44	33.25	85.77	5.58	
9/13/2003 2:30	27.99	82.38	33.28	88.09	5.73	
9/13/2003 3:00	27.97	82.35	33.32	86.10	5.60	
9/13/2003 3:30	27.96	82.33	33.32	85.72	5.58	
9/13/2003 4:00	27.94	82.29	33.37	83.33	5.42	
9/13/2003 4:30	27.94	82.29	33.37	80.95	5.26	
9/13/2003 5:00	27.88	82.18	33.28	81.77	5.32	
9/13/2003 5:30	27.81	82.06	32.91	85.98	5.62	
9/13/2003 6:00	27.65	81.77	32.47	95.60	6.27	
9/13/2003 6:30	27.36	81.25	31.89	95.21	6.28	
9/13/2003 7:00	27.37	81.27	31.79	92.23	6.09	
9/13/2003 7:30	27.48	81.46	32.23	86.75	5.71	
9/13/2003 8:00	27.35	81.23	31.65	85.86	5.68	
9/13/2003 8:30	27.47	81.45	31.94	83.38	5.50	
9/13/2003 9:00	27.51	81.52	32.04	82.89	5.46	
9/13/2003 9:30	27.55	81.59	32.00	80.41	5.29	
9/13/2003 10:00	27.53	81.55	31.90	82.73	5.45	
9/13/2003 10:30	27.53	81.55	31.75	86.94	5.73	
9/13/2003 11:00	27.64	81.75	31.77	92.76	6.10	
9/13/2003 11:30	27.72	81.90	31.84	92.77	6.10	
9/13/2003 12:00	27.90	82.22	32.27	95.39	6.25	
9/13/2003 12:30	28.07	82.53	32.32	99.70	6.52	
9/13/2003 13:00	28.30	82.94	32.43	104.52	6.81	
9/13/2003 13:30	28.48	83.26	32.49	108.14	7.03	
9/13/2003 14:00	28.66	83.59	32.55	110.05	7.15	
9/13/2003 14:30	28.84	83.91	32.59	113.37	7.35	
9/13/2003 15:00	29.01	84.22	32.57	111.98	7.25	
9/13/2003 15:30	29.09	84.36	32.55	109.40	7.07	
9/13/2003 16:00	29.14	84.45	32.50	112.42	7.27	
9/13/2003 16:30	29.20	84.56	32.47	116.43	7.53	
9/13/2003 17:00	29.22	84.60	32.41	117.25	7.58	
9/13/2003 17:30	29.22	84.60	32.38	118.36	7.66	
9/13/2003 18:00	29.28	84.70	32.28	116.38	7.52	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/13/2003 18:30	29.27	84.69	32.19	111.10	7.18	
9/13/2003 19:00	29.26	84.67	32.03	109.51	7.08	
9/13/2003 19:30	29.29	84.72	31.88	109.83	7.10	
9/13/2003 20:00	29.33	84.79	31.84	105.44	6.81	
9/13/2003 20:30	29.28	84.70	31.91	104.36	6.74	
9/13/2003 21:00	29.22	84.60	31.99	99.37	6.42	
9/13/2003 21:30	29.18	84.52	32.06	97.69	6.31	
9/13/2003 22:00	29.15	84.47	32.16	98.01	6.33	
9/13/2003 22:30	29.10	84.38	32.28	98.02	6.33	
9/13/2003 23:00	29.09	84.36	32.92	94.34	6.07	
9/13/2003 23:30	29.03	84.25	33.07	97.25	6.26	
9/14/2003 0:00	28.94	84.09	33.23	100.07	6.45	
9/14/2003 0:30	28.84	83.91	33.17	105.69	6.83	
9/14/2003 1:00	28.73	83.71	33.17	104.20	6.74	
9/14/2003 1:30	28.79	83.82	33.58	96.72	6.23	
9/14/2003 2:00	28.72	83.70	33.83	93.83	6.04	
9/14/2003 2:30	28.61	83.50	33.77	89.65	5.77	
9/14/2003 3:00	28.66	83.59	34.02	81.57	5.23	
9/14/2003 3:30	28.66	83.59	34.07	79.28	5.08	
9/14/2003 4:00	28.66	83.59	34.09	73.10	4.67	
9/14/2003 4:30	28.67	83.61	34.07	69.81	4.46	
9/14/2003 5:00	28.53	83.35	33.72	76.03	4.88	
9/14/2003 5:30	28.26	82.87	33.42	93.34	6.05	
9/14/2003 6:00	28.26	82.87	33.37	90.46	5.86	
9/14/2003 6:30	28.18	82.72	33.28	88.48	5.74	
9/14/2003 7:00	28.08	82.54	33.16	87.89	5.71	
9/14/2003 7:30	28.10	82.58	33.00	84.91	5.52	
9/14/2003 8:00	28.10	82.58	32.69	83.82	5.46	
9/14/2003 8:30	28.19	82.74	32.57	81.84	5.32	
9/14/2003 9:00	28.30	82.94	32.28	78.16	5.08	
9/14/2003 9:30	28.31	82.96	32.51	79.57	5.17	
9/14/2003 10:00	28.35	83.03	32.55	77.79	5.05	
9/14/2003 10:30	28.44	83.19	32.55	78.70	5.10	
9/14/2003 11:00	28.52	83.34	32.58	81.42	5.27	
9/14/2003 11:30	28.60	83.48	32.79	83.54	5.40	
9/14/2003 12:00	28.67	83.61	32.94	86.65	5.59	
9/14/2003 12:30	28.74	83.73	32.98	90.87	5.87	
9/14/2003 13:00	28.87	83.97	33.02	95.98	6.19	
9/14/2003 13:30	28.95	84.11	32.97	102.90	6.64	
9/14/2003 14:00	29.06	84.31	32.90	110.51	7.14	
9/14/2003 14:30	29.22	84.60	32.83	116.13	7.50	
9/14/2003 15:00	29.40	84.92	32.82	119.45	7.70	
9/14/2003 15:30	29.69	85.44	32.90	108.86	6.98	
9/14/2003 16:00	29.62	85.32	33.03	113.78	7.31	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/14/2003 16:30	29.66	85.39	33.15	116.39	7.47	
9/14/2003 17:00	29.83	85.69	33.14	114.61	7.34	
9/14/2003 17:30	30.04	86.07	33.00	112.13	7.17	
9/14/2003 18:00	30.49	86.88	32.61	113.24	7.22	
9/14/2003 18:30	30.86	87.55	32.20	115.06	7.32	
9/14/2003 19:00	31.02	87.84	31.59	111.87	7.11	
9/14/2003 19:30	30.69	87.24	31.28	105.59	6.73	
9/14/2003 20:00	30.54	86.97	31.02	103.61	6.62	
9/14/2003 20:30	30.35	86.63	30.74	97.52	6.24	
9/14/2003 21:00	30.12	86.22	30.65	93.94	6.03	
9/14/2003 21:30	30.12	86.22	30.40	97.15	6.25	
9/14/2003 22:00	30.11	86.20	30.41	91.87	5.90	
9/14/2003 22:30	30.01	86.02	30.62	92.18	5.92	
9/14/2003 23:00	30.03	86.05	30.73	91.90	5.90	
9/14/2003 23:30	30.07	86.13	31.17	86.82	5.55	
9/15/2003 0:00	30.00	86.00	32.08	73.13	4.63	
9/15/2003 0:30	29.89	85.80	32.53	72.55	4.59	
9/15/2003 1:00	29.78	85.60	32.78	77.66	4.92	
9/15/2003 1:30	29.76	85.57	32.86	77.88	4.94	
9/15/2003 2:00	29.75	85.55	32.89	77.50	4.91	
9/15/2003 2:30	29.73	85.51	32.82	76.61	4.86	
9/15/2003 3:00	29.71	85.48	32.76	73.83	4.68	
9/15/2003 3:30	29.70	85.46	32.76	70.74	4.48	
9/15/2003 4:00	29.61	85.30	32.53	66.26	4.19	
9/15/2003 4:30	29.60	85.28	32.47	62.58	3.95	
9/15/2003 5:00	29.55	85.19	32.27	61.19	3.87	
9/15/2003 5:30	29.48	85.06	32.06	64.41	4.09	
9/15/2003 6:00	29.43	84.97	31.99	63.82	4.06	
9/15/2003 6:30	29.36	84.85	31.88	64.84	4.14	
9/15/2003 7:00	29.34	84.81	31.93	62.15	3.96	
9/15/2003 7:30	29.32	84.78	31.99	60.27	3.84	
9/15/2003 8:00	29.34	84.81	32.17	59.59	3.78	
9/15/2003 8:30	29.29	84.72	32.09	62.50	3.98	
9/15/2003 9:00	29.30	84.74	32.34	64.12	4.08	
9/15/2003 9:30	29.32	84.78	32.41	59.93	3.80	
9/15/2003 10:00	29.34	84.81	32.38	56.25	3.56	
9/15/2003 10:30	29.35	84.83	32.34	55.77	3.53	
9/15/2003 11:00	29.34	84.81	32.06	59.88	3.81	
9/15/2003 11:30	29.36	84.85	32.09	63.30	4.03	
9/15/2003 12:00	29.41	84.94	32.05	66.91	4.26	
9/15/2003 12:30	29.44	84.99	32.02	68.53	4.37	
9/15/2003 13:00	29.47	85.05	32.10	72.95	4.66	
9/15/2003 13:30	29.52	85.14	31.97	75.76	4.84	
9/15/2003 14:00	29.59	85.26	31.89	80.78	5.17	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/15/2003 14:30	29.66	85.39	31.88	84.09	5.38	
9/15/2003 15:00	30.41	86.74	30.45	84.71	5.40	
9/15/2003 15:30	30.67	87.21	30.47	99.52	6.36	
9/15/2003 16:00	30.74	87.33	30.15	101.44	6.49	
9/15/2003 16:30	30.53	86.95	29.77	93.46	5.99	
9/15/2003 17:00	30.73	87.31	28.86	94.27	6.05	
9/15/2003 17:30	30.79	87.42	27.40	95.69	6.18	
9/15/2003 18:00	30.20	86.36	30.74	82.40	5.26	
9/15/2003 18:30	30.17	86.31	31.39	81.42	5.18	
9/15/2003 19:00	30.18	86.32	31.25	81.74	5.20	
9/15/2003 19:30	30.16	86.29	31.53	79.55	5.05	
9/15/2003 20:00	30.14	86.25	31.69	76.87	4.87	
9/15/2003 20:30	30.24	86.43	30.07	86.88	5.57	
9/15/2003 21:00	30.17	86.31	31.19	78.60	5.00	
9/15/2003 21:30	30.17	86.31	31.81	75.12	4.75	
9/15/2003 22:00	30.16	86.29	31.75	73.03	4.62	
9/15/2003 22:30	30.12	86.22	31.93	70.65	4.46	
9/15/2003 23:00	30.04	86.07	31.29	70.56	4.48	
9/15/2003 23:30	30.00	86.00	31.76	69.78	4.42	
9/16/2003 0:00	29.96	85.93	31.01	66.29	4.21	
9/16/2003 0:30	29.90	85.82	31.80	63.61	4.02	
9/16/2003 1:00	29.84	85.71	31.28	60.63	3.84	
9/16/2003 1:30	29.81	85.66	31.87	56.54	3.56	
9/16/2003 2:00	29.71	85.48	31.53	54.46	3.44	
9/16/2003 2:30	29.71	85.48	31.35	54.57	3.45	
9/16/2003 3:00	29.73	85.51	31.19	52.39	3.31	
9/16/2003 3:30	29.73	85.51	30.42	48.11	3.05	
9/16/2003 4:00	29.71	85.48	30.72	48.42	3.06	
9/16/2003 4:30	29.65	85.37	30.65	57.04	3.63	
9/16/2003 5:00	29.63	85.33	30.79	53.25	3.38	
9/16/2003 5:30	29.64	85.35	30.96	49.17	3.11	
9/16/2003 6:00	29.62	85.32	31.14	50.49	3.19	
9/16/2003 6:30	29.57	85.23	31.28	50.70	3.21	
9/16/2003 7:00	29.56	85.21	31.32	45.32	2.85	
9/16/2003 7:30	29.53	85.15	31.24	46.33	2.92	
9/16/2003 8:00	29.47	85.05	31.04	55.55	3.54	
9/16/2003 8:30	29.50	85.10	31.15	46.66	2.95	
9/16/2003 9:00	29.48	85.06	31.20	46.48	2.94	
9/16/2003 9:30	29.45	85.01	31.13	48.70	3.09	
9/16/2003 10:00	29.45	85.01	31.18	45.81	2.90	
9/16/2003 10:30	29.47	85.05	30.93	40.63	2.56	
9/16/2003 11:00	29.48	85.06	30.58	38.64	2.44	
9/16/2003 11:30	29.52	85.14	30.71	36.26	2.28	
9/16/2003 12:00	29.51	85.12	30.11	39.28	2.49	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/16/2003 12:30	29.50	85.10	28.98	51.39	3.32	
9/16/2003 13:00	29.59	85.26	27.87	62.11	4.05	
9/16/2003 13:30	29.63	85.33	28.65	59.52	3.85	
9/16/2003 14:00	29.80	85.64	27.12	67.44	4.40	
9/16/2003 14:30	29.81	85.66	26.99	72.06	4.71	
9/16/2003 15:00	30.07	86.13	25.13	85.07	5.60	
9/16/2003 15:30	29.97	85.95	26.16	85.49	5.60	
9/16/2003 16:00	30.07	86.13	26.01	96.20	6.31	
9/16/2003 16:30	30.00	86.00	27.57	71.92	4.67	
9/16/2003 17:00	30.15	86.27	27.45	94.93	6.18	
9/16/2003 17:30	30.07	86.13	27.39	94.75	6.17	
9/16/2003 18:00	30.06	86.11	27.18	93.17	6.08	
9/16/2003 18:30	30.00	86.00	27.11	83.08	5.42	
9/16/2003 19:00	29.92	85.86	27.02	74.00	4.83	
9/16/2003 19:30	29.83	85.69	27.16	67.41	4.40	
9/16/2003 20:00	29.74	85.53	27.12	62.43	4.08	
9/16/2003 20:30	29.71	85.48	27.43	63.05	4.11	
9/16/2003 21:00	29.68	85.42	27.02	66.06	4.32	
9/16/2003 21:30	29.64	85.35	27.00	60.88	3.99	
9/16/2003 22:00	29.63	85.33	27.20	58.19	3.81	
9/16/2003 22:30	29.59	85.26	27.34	57.41	3.75	
9/16/2003 23:00	29.51	85.12	27.41	56.73	3.71	
9/16/2003 23:30	29.34	84.81	27.72	63.14	4.14	
9/17/2003 0:00	29.24	84.63	28.02	61.16	4.01	
9/17/2003 0:30	29.16	84.49	27.93	66.27	4.35	
9/17/2003 1:00	29.12	84.42	27.74	65.99	4.34	
9/17/2003 1:30	29.11	84.40	27.55	64.30	4.24	
9/17/2003 2:00	29.12	84.42	27.72	52.42	3.45	
9/17/2003 2:30	29.12	84.42	27.77	48.34	3.18	
9/17/2003 3:00	29.14	84.45	27.82	42.25	2.78	
9/17/2003 3:30	29.15	84.47	27.80	36.27	2.38	
9/17/2003 4:00	29.07	84.33	27.32	31.58	2.09	
9/17/2003 4:30	28.17	82.71	23.94	64.00	4.39	
9/17/2003 5:00	28.07	82.53	24.35	77.92	5.30	
9/17/2003 5:30	28.42	83.16	25.79	60.23	4.07	
9/17/2003 6:00	28.46	83.23	25.95	56.65	3.83	
9/17/2003 6:30	28.34	83.01	25.53	61.96	4.20	
9/17/2003 7:00	28.50	83.30	26.08	56.38	3.80	
9/17/2003 7:30	28.26	82.87	25.04	66.00	4.48	
9/17/2003 8:00	28.18	82.72	24.66	67.71	4.61	
9/17/2003 8:30	27.82	82.08	22.03	64.83	4.52	
9/17/2003 9:00	27.73	81.91	22.08	69.44	4.83	
9/17/2003 9:30	27.84	82.11	22.41	65.96	4.58	
9/17/2003 10:00	28.22	82.80	23.68	45.68	3.18	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/17/2003 10:30	28.21	82.78	23.86	52.19	3.61	
9/17/2003 11:00	28.39	83.10	24.63	48.41	3.32	
9/17/2003 11:30	28.54	83.37	25.12	39.82	2.73	
9/17/2003 12:00	28.61	83.50	25.58	35.94	2.46	
9/17/2003 12:30	28.67	83.61	25.54	33.15	2.27	
9/17/2003 13:00	28.73	83.71	25.42	37.37	2.55	
9/17/2003 13:30	29.09	84.36	24.08	72.09	4.84	
9/17/2003 14:00	29.02	84.24	24.85	59.20	3.98	
9/17/2003 14:30	29.38	84.88	24.22	76.02	5.08	
9/17/2003 15:00	29.38	84.88	24.50	77.23	5.15	
9/17/2003 15:30	29.53	85.15	23.96	85.55	5.70	
9/17/2003 16:00	29.62	85.32	23.44	98.57	6.56	
9/17/2003 16:30	29.60	85.28	23.52	98.68	6.57	
9/17/2003 17:00	29.61	85.30	23.85	98.20	6.53	
9/17/2003 17:30	29.56	85.21	24.77	85.21	5.65	
9/17/2003 18:00	29.62	85.32	24.91	89.83	5.95	
9/17/2003 18:30	29.55	85.19	24.78	87.05	5.78	
9/17/2003 19:00	29.43	84.97	24.75	86.66	5.76	
9/17/2003 19:30	29.43	84.97	24.06	90.18	6.01	
9/17/2003 20:00	29.34	84.81	23.04	100.89	6.75	
9/17/2003 20:30	29.17	84.51	20.63	100.21	6.78	
9/17/2003 21:00	28.75	83.75	20.02	93.92	6.42	
9/17/2003 21:30	28.63	83.53	19.58	95.54	6.54	
9/17/2003 22:00	28.60	83.48	19.58	90.86	6.24	
9/17/2003 22:30	28.49	83.28	19.52	92.07	6.33	
9/17/2003 23:00	28.41	83.14	19.62	90.29	6.21	
9/17/2003 23:30	28.29	82.92	19.56	89.10	6.15	
9/18/2003 0:00	28.21	82.78	19.51	85.12	5.89	
9/18/2003 0:30	28.15	82.67	19.53	84.54	5.86	
9/18/2003 1:00	28.08	82.54	19.57	81.05	5.63	
9/18/2003 1:30	27.97	82.35	19.51	82.37	5.73	
9/18/2003 2:00	27.87	82.17	19.26	81.48	5.69	
9/18/2003 2:30	27.79	82.02	19.24	79.60	5.57	
9/18/2003 3:00	27.73	81.91	19.19	79.42	5.56	
9/18/2003 3:30	27.67	81.81	19.20	79.93	5.60	
9/18/2003 4:00	27.71	81.88	19.59	75.35	5.28	
9/18/2003 4:30	28.06	82.51	21.42	48.96	3.47	
9/18/2003 5:00	28.24	82.83	22.45	30.08	2.19	
9/18/2003 5:30	28.33	82.99	22.87	26.29	1.92	
9/18/2003 6:00	28.32	82.98	22.94	26.41	1.93	
9/18/2003 6:30	28.16	82.69	22.38	35.33	2.54	
9/18/2003 7:00	27.95	82.31	22.01	47.74	3.38	
9/18/2003 7:30	28.21	82.78	23.68	30.36	2.18	
9/18/2003 8:00	28.22	82.80	25.02	20.47	1.49	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/18/2003 8:30	28.25	82.85	25.57	18.49	1.34	
9/18/2003 9:00	28.19	82.74	25.49	20.51	1.48	
9/18/2003 9:30	28.05	82.49	25.13	34.52	2.42	
9/18/2003 10:00	28.01	82.42	25.04	34.74	2.44	
9/18/2003 10:30	27.96	82.33	24.71	40.15	2.81	
9/18/2003 11:00	27.96	82.33	24.75	41.67	2.91	
9/18/2003 11:30	28.02	82.44	24.49	43.59	3.04	
9/18/2003 12:00	28.13	82.63	24.56	40.80	2.85	
9/18/2003 12:30	28.16	82.69	23.94	51.32	3.55	
9/18/2003 13:00	28.11	82.60	22.77	72.63	4.99	
9/18/2003 13:30	28.18	82.72	22.81	81.85	5.59	
9/18/2003 14:00	28.23	82.81	22.36	92.56	6.30	
9/18/2003 14:30	28.23	82.81	22.68	94.38	6.41	
9/18/2003 15:00	28.08	82.54	23.09	94.60	6.43	
9/18/2003 15:30	28.22	82.80	23.04	99.11	6.72	
9/18/2003 16:00	28.50	83.30	23.15	102.73	6.93	
9/18/2003 16:30	28.87	83.97	23.31	110.04	7.38	
9/18/2003 17:00	29.20	84.56	23.55	116.16	7.75	
9/18/2003 17:30	29.18	84.52	23.81	110.28	7.36	
9/18/2003 18:00	29.41	84.94	24.69	114.99	7.63	
9/18/2003 18:30	29.42	84.96	24.80	110.01	7.30	
9/18/2003 19:00	29.34	84.81	24.90	107.02	7.10	
9/18/2003 19:30	29.18	84.52	24.87	111.64	7.42	
9/18/2003 20:00	29.06	84.31	25.17	110.36	7.34	
9/18/2003 20:30	28.98	84.16	25.17	111.47	7.41	
9/18/2003 21:00	28.81	83.86	25.27	113.19	7.54	
9/18/2003 21:30	28.76	83.77	25.40	109.60	7.30	
9/18/2003 22:00	28.64	83.55	25.33	107.72	7.19	
9/18/2003 22:30	28.63	83.53	25.48	110.13	7.34	
9/18/2003 23:00	28.64	83.55	25.89	91.65	6.12	
9/18/2003 23:30	28.51	83.32	26.01	104.27	6.95	
9/19/2003 0:00	28.37	83.07	26.09	108.38	7.23	
9/19/2003 0:30	28.26	82.87	26.38	103.80	6.93	
9/19/2003 1:00	28.21	82.78	26.42	97.01	6.49	
9/19/2003 1:30	28.06	82.51	26.97	95.23	6.37	
9/19/2003 2:00	28.00	82.40	27.45	93.05	6.21	
9/19/2003 2:30	27.98	82.36	27.58	91.36	6.10	
9/19/2003 3:00	27.87	82.17	27.03	88.48	5.93	
9/19/2003 3:30	28.00	82.40	27.26	81.49	5.46	
9/19/2003 4:00	27.97	82.35	27.51	78.31	5.25	
9/19/2003 4:30	27.86	82.15	27.53	75.73	5.08	
9/19/2003 5:00	27.81	82.06	27.56	80.84	5.42	
9/19/2003 5:30	27.76	81.97	27.57	76.96	5.17	
9/19/2003 6:00	27.74	81.93	27.54	65.97	4.45	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/19/2003 6:30	27.73	81.91	27.76	64.59	4.35	
9/19/2003 7:00	27.72	81.90	27.71	68.70	4.63	
9/19/2003 7:30	27.72	81.90	27.57	72.02	4.85	
9/19/2003 8:00	27.71	81.88	27.44	72.44	4.88	
9/19/2003 8:30	27.70	81.86	27.28	73.75	4.97	
9/19/2003 9:00	27.73	81.91	27.16	73.77	4.97	
9/19/2003 9:30	27.73	81.91	26.91	77.78	5.24	
9/19/2003 10:00	27.78	82.00	26.85	76.00	5.13	
9/19/2003 10:30	27.81	82.06	28.43	96.60	6.48	New Sonde
9/19/2003 11:00	27.87	82.17	28.27	100.10	6.71	
9/19/2003 11:30	27.96	82.33	28.13	100.90	6.76	
9/19/2003 12:00	28.16	82.69	28.10	103.20	6.89	
9/19/2003 12:30	28.36	83.05	28.18	107.00	7.12	
9/19/2003 13:00	28.37	83.07	28.36	109.90	7.31	
9/19/2003 13:30	28.55	83.39	28.40	115.20	7.63	
9/19/2003 14:00	28.64	83.55	28.23	116.20	7.70	
9/19/2003 14:30	28.75	83.75	28.01	116.90	7.73	
9/19/2003 15:00	29.01	84.22	27.73	116.30	7.67	
9/19/2003 15:30	29.67	85.41	27.52	114.30	7.47	
9/19/2003 16:00	29.82	85.68	27.68	115.50	7.52	
9/19/2003 16:30	29.26	84.67	28.28	117.30	7.68	
9/19/2003 17:00	30.02	86.04	28.40	117.10	7.58	
9/19/2003 17:30	30.07	86.13	28.39	117.80	7.62	
9/19/2003 18:00	30.14	86.25	28.24	116.50	7.53	
9/19/2003 18:30	29.41	84.94	28.69	104.50	6.81	
9/19/2003 19:00	29.81	85.66	28.58	110.20	7.14	
9/19/2003 19:30	29.35	84.83	28.88	94.10	6.13	
9/19/2003 20:00	29.27	84.69	29.01	92.30	6.02	
9/19/2003 20:30	29.49	85.08	28.97	100.20	6.51	
9/19/2003 21:00	29.42	84.96	28.97	105.10	6.84	
9/19/2003 21:30	29.41	84.94	28.96	103.80	6.76	
9/19/2003 22:00	29.36	84.85	28.97	101.00	6.58	
9/19/2003 22:30	29.28	84.70	28.83	102.00	6.66	
9/19/2003 23:00	29.32	84.78	28.83	98.20	6.41	
9/19/2003 23:30	29.38	84.88	28.73	85.80	5.60	
9/20/2003 0:00	29.39	84.90	28.69	83.80	5.47	
9/20/2003 0:30	29.35	84.83	28.62	77.40	5.06	
9/20/2003 1:00	29.35	84.83	28.41	85.20	5.57	
9/20/2003 1:30	29.30	84.74	28.22	86.70	5.68	
9/20/2003 2:00	29.31	84.76	28.19	80.60	5.28	
9/20/2003 2:30	29.21	84.58	28.02	84.90	5.57	
9/20/2003 3:00	29.21	84.58	27.96	81.10	5.32	
9/20/2003 3:30	29.21	84.58	28.01	77.20	5.07	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/20/2003 4:00	29.21	84.58	27.94	77.20	5.07	
9/20/2003 4:30	29.17	84.51	27.85	71.20	4.68	
9/20/2003 5:00	29.19	84.54	27.65	77.20	5.08	
9/20/2003 5:30	29.12	84.42	27.50	74.80	4.93	
9/20/2003 6:00	28.96	84.13	27.25	66.80	4.42	
9/20/2003 6:30	28.80	83.84	26.76	64.40	4.29	
9/20/2003 7:00	29.01	84.22	26.76	59.70	3.96	
9/20/2003 7:30	29.09	84.36	26.68	63.20	4.19	
9/20/2003 8:00	29.09	84.36	26.59	61.20	4.06	
9/20/2003 8:30	29.04	84.27	26.60	60.30	4.00	
9/20/2003 9:00	29.02	84.24	26.68	66.80	4.43	
9/20/2003 9:30	29.17	84.51	26.55	71.90	4.76	
9/20/2003 10:00	29.20	84.56	26.33	73.90	4.90	
9/20/2003 10:30	29.30	84.74	26.16	76.10	5.04	
9/20/2003 11:00	29.40	84.92	26.00	75.60	5.00	
9/20/2003 11:30	29.54	85.17	25.87	77.30	5.11	
9/20/2003 12:00	29.67	85.41	25.75	79.80	5.27	
9/20/2003 12:30	29.73	85.51	25.65	79.10	5.22	
9/20/2003 13:00	29.73	85.51	25.50	81.00	5.35	
9/20/2003 13:30	29.74	85.53	25.34	83.30	5.51	
9/20/2003 14:00	29.80	85.64	25.27	86.80	5.73	
9/20/2003 14:30	29.96	85.93	25.10	85.70	5.65	
9/20/2003 15:00	30.20	86.36	25.01	90.80	5.97	
9/20/2003 15:30	30.29	86.52	25.01	94.40	6.19	
9/20/2003 16:00	30.22	86.40	25.00	94.40	6.20	
9/20/2003 16:30	30.31	86.56	25.17	98.40	6.44	
9/20/2003 17:00	30.29	86.52	25.54	97.80	6.40	
9/20/2003 17:30	30.28	86.50	25.59	98.50	6.44	
9/20/2003 18:00	30.26	86.47	25.72	96.40	6.30	
9/20/2003 18:30	30.24	86.43	25.91	93.80	6.13	
9/20/2003 19:00	30.24	86.43	26.05	95.70	6.25	
9/20/2003 19:30	30.16	86.29	26.24	93.90	6.13	
9/20/2003 20:00	30.06	86.11	26.38	92.40	6.04	
9/20/2003 20:30	30.06	86.11	26.43	89.10	5.82	
9/20/2003 21:00	29.98	85.96	26.34	88.30	5.78	
9/20/2003 21:30	29.90	85.82	26.17	87.30	5.72	
9/20/2003 22:00	29.80	85.64	26.09	85.80	5.64	
9/20/2003 22:30	29.77	85.59	25.91	83.50	5.50	
9/20/2003 23:00	29.65	85.37	25.82	83.20	5.49	
9/20/2003 23:30	29.60	85.28	25.78	82.20	5.43	
9/21/2003 0:00	29.51	85.12	25.73	80.90	5.35	
9/21/2003 0:30	29.39	84.90	25.65	78.90	5.23	
9/21/2003 1:00	29.29	84.72	25.61	78.20	5.20	
9/21/2003 1:30	29.23	84.61	25.56	77.20	5.13	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/21/2003 2:00	29.16	84.49	25.44	75.70	5.05	
9/21/2003 2:30	29.13	84.43	25.33	73.80	4.92	
9/21/2003 3:00	29.11	84.40	25.23	71.50	4.77	
9/21/2003 3:30	29.13	84.43	25.17	70.90	4.73	
9/21/2003 4:00	29.13	84.43	25.11	71.50	4.78	
9/21/2003 4:30	29.09	84.36	25.14	71.10	4.75	
9/21/2003 5:00	28.96	84.13	25.24	70.40	4.71	
9/21/2003 5:30	28.87	83.97	25.28	67.40	4.52	
9/21/2003 6:00	28.90	84.02	25.22	67.90	4.55	
9/21/2003 6:30	28.84	83.91	25.29	67.40	4.52	
9/21/2003 7:00	28.82	83.88	25.39	65.00	4.36	
9/21/2003 7:30	28.79	83.82	25.67	63.90	4.28	
9/21/2003 8:00	28.78	83.80	25.71	62.30	4.17	
9/21/2003 8:30	28.77	83.79	25.77	65.10	4.36	
9/21/2003 9:00	28.75	83.75	25.78	65.40	4.38	
9/21/2003 9:30	28.75	83.75	25.65	68.80	4.61	
9/21/2003 10:00	28.78	83.80	25.39	70.80	4.75	
9/21/2003 10:30	28.84	83.91	25.24	74.10	4.97	
9/21/2003 11:00	28.97	84.15	25.20	77.80	5.21	
9/21/2003 11:30	29.13	84.43	25.15	81.20	5.43	
9/21/2003 12:00	29.33	84.79	25.01	85.70	5.71	
9/21/2003 12:30	29.51	85.12	25.00	84.30	5.60	
9/21/2003 13:00	29.81	85.66	25.05	87.60	5.79	
9/21/2003 13:30	30.04	86.07	24.98	86.30	5.69	
9/21/2003 14:00	30.15	86.27	25.00	90.00	5.91	
9/21/2003 14:30	30.23	86.41	24.94	94.30	6.19	
9/21/2003 15:00	30.33	86.59	24.95	96.20	6.30	
9/21/2003 15:30	30.39	86.70	25.02	98.40	6.45	
9/21/2003 16:00	30.42	86.76	25.07	102.40	6.70	
9/21/2003 16:30	30.29	86.52	25.03	100.80	6.61	
9/21/2003 17:00	30.27	86.49	25.41	101.80	6.67	
9/21/2003 17:30	30.24	86.43	25.63	100.00	6.54	
9/21/2003 18:00	30.14	86.25	25.70	96.50	6.32	
9/21/2003 18:30	30.03	86.05	26.01	96.10	6.29	
9/21/2003 19:00	29.98	85.96	26.22	92.40	6.05	
9/21/2003 19:30	29.94	85.89	26.28	90.70	5.94	
9/21/2003 20:00	29.87	85.77	26.59	88.80	5.81	
9/21/2003 20:30	29.87	85.77	26.60	85.90	5.62	
9/21/2003 21:00	29.82	85.68	26.65	83.90	5.50	
9/21/2003 21:30	29.73	85.51	26.74	80.80	5.30	
9/21/2003 22:00	29.65	85.37	26.80	79.60	5.23	
9/21/2003 22:30	29.60	85.28	26.86	76.20	5.01	
9/21/2003 23:00	29.54	85.17	26.77	76.70	5.04	
9/21/2003 23:30	29.49	85.08	26.79	74.30	4.89	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/22/2003 0:00	29.43	84.97	26.76	74.00	4.87	
9/22/2003 0:30	29.41	84.94	26.79	70.40	4.64	
9/22/2003 1:00	29.35	84.83	26.59	71.30	4.71	
9/22/2003 1:30	29.24	84.63	26.61	72.20	4.78	
9/22/2003 2:00	29.15	84.47	26.61	72.00	4.77	
9/22/2003 2:30	29.11	84.40	26.50	71.20	4.72	
9/22/2003 3:00	29.06	84.31	26.42	67.20	4.47	
9/22/2003 3:30	28.86	83.95	26.42	71.90	4.79	
9/22/2003 4:00	28.85	83.93	26.49	71.10	4.74	
9/22/2003 4:30	28.91	84.04	26.61	68.00	4.52	
9/22/2003 5:00	28.85	83.93	26.68	66.10	4.40	
9/22/2003 5:30	28.79	83.82	26.57	64.40	4.29	
9/22/2003 6:00	28.66	83.59	26.47	65.80	4.40	
9/22/2003 6:30	28.58	83.44	26.74	67.40	4.51	
9/22/2003 7:00	28.57	83.43	26.55	66.10	4.42	
9/22/2003 7:30	28.52	83.34	26.57	64.50	4.32	
9/22/2003 8:00	28.52	83.34	26.44	60.40	4.05	
9/22/2003 8:30	28.71	83.68	27.06	58.60	3.90	
9/22/2003 9:00	28.74	83.73	27.33	58.90	3.91	
9/22/2003 9:30	28.53	83.35	27.15	67.50	4.50	
9/22/2003 10:00	28.53	83.35	26.95	69.90	4.67	
9/22/2003 10:30	28.64	83.55	26.98	69.90	4.66	
9/22/2003 11:00	28.73	83.71	26.99	70.50	4.69	
9/22/2003 11:30	28.87	83.97	26.85	74.70	4.96	
9/22/2003 12:00	29.05	84.29	26.94	77.30	5.12	
9/22/2003 12:30	29.14	84.45	26.82	79.00	5.23	
9/22/2003 13:00	29.28	84.70	26.73	82.90	5.47	
9/22/2003 13:30	29.41	84.94	26.82	85.00	5.60	
9/22/2003 14:00	29.53	85.15	26.52	86.70	5.71	
9/22/2003 14:30	29.72	85.50	26.39	90.10	5.92	
9/22/2003 15:00	29.73	85.51	26.48	90.60	5.95	
9/22/2003 15:30	29.83	85.69	26.51	90.10	5.91	
9/22/2003 16:00	29.87	85.77	26.43	91.50	6.00	
9/22/2003 16:30	29.91	85.84	26.73	92.30	6.03	
9/22/2003 17:00	29.80	85.64	27.14	91.60	5.99	
9/22/2003 17:30	29.82	85.68	27.35	92.30	6.02	
9/22/2003 18:00	29.80	85.64	27.28	90.50	5.91	
9/22/2003 18:30	29.72	85.50	27.45	86.20	5.63	
9/22/2003 19:00	29.66	85.39	27.52	82.40	5.39	
9/22/2003 19:30	29.59	85.26	27.56	79.90	5.23	
9/22/2003 20:00	29.54	85.17	27.57	76.70	5.03	
9/22/2003 20:30	29.46	85.03	27.69	75.10	4.92	
9/22/2003 21:00	29.40	84.92	27.66	73.10	4.80	
9/22/2003 21:30	29.32	84.78	27.75	78.10	5.12	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/22/2003 22:00	29.31	84.76	27.88	77.00	5.05	
9/22/2003 22:30	29.29	84.72	28.12	74.30	4.87	
9/22/2003 23:00	29.23	84.61	28.25	71.20	4.67	
9/22/2003 23:30	29.12	84.42	28.35	71.90	4.72	
9/23/2003 0:00	29.09	84.36	28.37	67.80	4.45	
9/23/2003 0:30	29.03	84.25	28.26	65.20	4.29	
9/23/2003 1:00	28.98	84.16	28.11	69.30	4.56	
9/23/2003 1:30	28.99	84.18	27.96	66.30	4.37	
9/23/2003 2:00	29.05	84.29	28.01	65.50	4.32	
9/23/2003 2:30	28.99	84.18	27.80	61.40	4.05	
9/23/2003 3:00	28.78	83.80	27.73	66.80	4.43	
9/23/2003 3:30	28.82	83.88	28.00	64.70	4.27	
9/23/2003 4:00	28.81	83.86	28.19	58.50	3.86	
9/23/2003 4:30	28.70	83.66	28.44	65.40	4.32	
9/23/2003 5:00	28.16	82.69	28.04	70.90	4.74	
9/23/2003 5:30	28.33	82.99	28.24	70.40	4.68	
9/23/2003 6:00	28.42	83.16	28.42	66.60	4.42	
9/23/2003 6:30	28.18	82.72	28.52	69.50	4.63	
9/23/2003 7:00	27.88	82.18	28.03	71.00	4.76	
9/23/2003 7:30	28.07	82.53	28.20	68.80	4.60	
9/23/2003 8:00	28.17	82.71	28.22	65.00	4.34	
9/23/2003 8:30	28.20	82.76	28.33	60.50	4.03	
9/23/2003 9:00	28.08	82.54	28.17	65.50	4.38	
9/23/2003 9:30	28.25	82.85	28.31	55.00	3.66	
9/23/2003 10:00	28.92	84.06	29.48	18.80	1.23	
9/23/2003 10:30	29.00	84.20	29.79	19.30	1.26	
9/23/2003 11:00	29.03	84.25	29.85	19.40	1.26	
9/23/2003 11:30	29.03	84.25	29.99	23.20	1.51	
9/23/2003 12:00	28.99	84.18	29.92	28.80	1.88	
9/23/2003 12:30	29.00	84.20	29.78	25.90	1.69	
9/23/2003 13:00	29.02	84.24	29.63	29.20	1.91	
9/23/2003 13:30	28.92	84.06	28.93	35.50	2.33	
9/23/2003 14:00	28.71	83.68	28.35	36.70	2.42	
9/23/2003 14:30	29.00	84.20	29.24	31.30	2.05	
9/23/2003 15:00	28.98	84.16	29.04	31.70	2.08	
9/23/2003 15:30	28.88	83.98	28.72	39.40	2.59	
9/23/2003 16:00	28.95	84.11	29.08	35.60	2.33	
9/23/2003 16:30	28.87	83.97	28.55	49.30	3.25	
9/23/2003 17:00	28.81	83.86	28.44	51.90	3.42	
9/23/2003 17:30	28.84	83.91	28.72	54.40	3.58	
9/23/2003 18:00	28.89	84.00	29.01	48.70	3.19	
9/23/2003 18:30	28.99	84.18	29.95	37.40	2.44	
9/23/2003 19:00	29.01	84.22	30.69	28.30	1.84	
9/23/2003 19:30	28.99	84.18	31.11	26.60	1.73	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/23/2003 20:00	28.98	84.16	31.13	27.80	1.80	
9/23/2003 20:30	28.96	84.13	31.35	30.40	1.97	
9/23/2003 21:00	28.96	84.13	31.34	27.80	1.80	
9/23/2003 21:30	28.95	84.11	31.38	28.50	1.85	
9/23/2003 22:00	28.95	84.11	31.36	24.90	1.61	
9/23/2003 22:30	28.96	84.13	31.32	24.10	1.56	
9/23/2003 23:00	28.96	84.13	31.15	25.40	1.65	
9/23/2003 23:30	28.97	84.15	31.08	23.70	1.53	
9/24/2003 0:00	28.97	84.15	30.96	22.70	1.47	
9/24/2003 0:30	28.94	84.09	30.55	30.90	2.01	
9/24/2003 1:00	28.87	83.97	30.23	35.90	2.34	
9/24/2003 1:30	28.91	84.04	30.26	28.00	1.83	
9/24/2003 2:00	28.89	84.00	30.52	22.20	1.45	
9/24/2003 2:30	28.83	83.89	30.43	20.50	1.33	
9/24/2003 3:00	28.91	84.04	30.65	17.10	1.11	
9/24/2003 3:30	28.91	84.04	30.41	19.10	1.25	
9/24/2003 4:00	28.88	83.98	30.42	23.80	1.55	
9/24/2003 4:30	28.89	84.00	30.58	24.50	1.59	
9/24/2003 5:00	28.90	84.02	30.72	30.60	1.99	
9/24/2003 5:30	28.87	83.97	30.80	26.80	1.75	
9/24/2003 6:00	28.84	83.91	30.98	28.50	1.85	
9/24/2003 6:30	28.83	83.89	31.04	27.80	1.81	
9/24/2003 7:00	28.77	83.79	30.87	30.90	2.01	
9/24/2003 7:30	28.76	83.77	31.10	29.60	1.92	
9/24/2003 8:00	28.65	83.57	30.81	35.80	2.33	
9/24/2003 8:30	28.72	83.70	31.06	28.30	1.84	
9/24/2003 9:00	28.82	83.88	31.57	24.30	1.57	
9/24/2003 9:30	28.84	83.91	31.45	22.30	1.44	
9/24/2003 10:00	28.90	84.02	31.44	20.40	1.32	
9/24/2003 10:30	28.95	84.11	31.43	20.50	1.33	
9/24/2003 11:00	28.98	84.16	31.32	25.80	1.67	
9/24/2003 11:30	28.55	83.39	29.20	50.50	3.33	
9/24/2003 12:00	28.85	83.93	29.70	35.70	2.34	
9/24/2003 12:30	28.83	83.89	28.72	55.30	3.64	
9/24/2003 13:00	29.02	84.24	28.47	58.20	3.82	
9/24/2003 13:30	29.18	84.52	29.04	60.30	3.94	
9/24/2003 14:00	29.13	84.43	28.92	51.30	3.36	
9/24/2003 14:30	29.20	84.56	28.62	54.30	3.55	
9/24/2003 15:00	29.24	84.63	28.66	58.20	3.80	
9/24/2003 15:30	29.30	84.74	28.66	61.40	4.01	
9/24/2003 16:00	29.48	85.06	29.55	66.00	4.28	
9/24/2003 16:30	29.66	85.39	29.60	64.60	4.17	
9/24/2003 17:00	29.68	85.42	30.43	62.70	4.03	
9/24/2003 17:30	29.73	85.51	30.70	63.50	4.07	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/24/2003 18:00	29.76	85.57	30.48	70.40	4.52	
9/24/2003 18:30	29.69	85.44	31.18	57.30	3.67	
9/24/2003 19:00	29.64	85.35	31.59	50.30	3.21	
9/24/2003 19:30	29.61	85.30	31.20	55.30	3.55	
9/24/2003 20:00	29.60	85.28	31.54	47.60	3.04	
9/24/2003 20:30	29.53	85.15	31.75	54.50	3.49	
9/24/2003 21:00	29.50	85.10	31.87	50.60	3.24	
9/24/2003 21:30	29.46	85.03	31.89	50.90	3.26	
9/24/2003 22:00	29.44	84.99	32.00	50.30	3.22	
9/24/2003 22:30	29.42	84.96	32.00	45.90	2.94	
9/24/2003 23:00	29.37	84.87	32.15	44.00	2.82	
9/24/2003 23:30	29.23	84.61	30.95	67.30	4.35	
9/25/2003 0:00	29.32	84.78	31.61	47.20	3.03	
9/25/2003 0:30	29.25	84.65	31.53	46.50	2.99	
9/25/2003 1:00	28.97	84.15	30.87	64.80	4.20	
9/25/2003 1:30	29.08	84.34	30.94	51.70	3.35	
9/25/2003 2:00	28.67	83.61	30.62	75.10	4.90	
9/25/2003 2:30	28.71	83.68	30.49	70.50	4.60	
9/25/2003 3:00	28.55	83.39	30.62	71.00	4.65	
9/25/2003 3:30	28.59	83.46	30.45	72.00	4.71	
9/25/2003 4:00	28.63	83.53	30.36	68.80	4.50	
9/25/2003 4:30	28.66	83.59	30.50	64.80	4.24	
9/25/2003 5:00	28.81	83.86	30.64	53.60	3.49	
9/25/2003 5:30	28.81	83.86	30.54	61.10	3.98	
9/25/2003 6:00	28.66	83.59	30.35	65.00	4.25	
9/25/2003 6:30	28.64	83.55	30.40	63.30	4.14	
9/25/2003 7:00	28.65	83.57	30.53	57.80	3.78	
9/25/2003 7:30	28.72	83.70	30.90	49.40	3.22	
9/25/2003 8:00	28.86	83.95	31.54	29.40	1.90	
9/25/2003 8:30	28.63	83.53	31.47	57.30	3.73	
9/25/2003 9:00	28.62	83.52	31.48	59.50	3.87	
9/25/2003 9:30	28.62	83.52	31.64	59.90	3.89	
9/25/2003 10:00	28.64	83.55	31.62	59.10	3.84	
9/25/2003 10:30	28.68	83.62	31.44	57.80	3.76	
9/25/2003 11:00	28.74	83.73	31.39	59.40	3.86	
9/25/2003 11:30	28.84	83.91	31.32	61.10	3.96	
9/25/2003 12:00	28.95	84.11	31.28	71.20	4.61	
9/25/2003 12:30	29.08	84.34	31.28	75.00	4.85	
9/25/2003 13:00	29.23	84.61	30.82	85.20	5.51	
9/25/2003 13:30	29.25	84.65	30.55	91.40	5.92	
9/25/2003 14:00	29.30	84.74	30.44	94.30	6.10	
9/25/2003 14:30	29.28	84.70	30.35	91.60	5.93	
9/25/2003 15:00	29.26	84.67	30.33	92.20	5.98	
9/25/2003 15:30	29.26	84.67	30.39	91.70	5.94	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/25/2003 16:00	29.29	84.72	30.49	93.50	6.05	
9/25/2003 16:30	29.30	84.74	30.57	92.50	5.98	
9/25/2003 17:00	29.29	84.72	30.50	93.20	6.03	
9/25/2003 17:30	29.26	84.67	30.46	93.90	6.08	
9/25/2003 18:00	29.23	84.61	30.19	92.90	6.02	
9/25/2003 18:30	29.26	84.67	30.22	91.30	5.92	
9/25/2003 19:00	29.18	84.52	30.44	90.10	5.84	
9/25/2003 19:30	28.93	84.07	30.53	86.40	5.62	
9/25/2003 20:00	28.85	83.93	30.77	83.50	5.43	
9/25/2003 20:30	28.76	83.77	30.83	84.60	5.51	
9/25/2003 21:00	28.70	83.66	30.77	80.80	5.27	
9/25/2003 21:30	28.62	83.52	31.10	79.00	5.15	
9/25/2003 22:00	28.51	83.32	31.43	78.30	5.11	
9/25/2003 22:30	28.37	83.07	31.59	78.10	5.09	
9/25/2003 23:00	28.32	82.98	31.83	76.80	5.01	
9/25/2003 23:30	28.27	82.89	30.48	76.40	5.03	
9/26/2003 0:00	28.18	82.72	31.59	75.50	4.94	
9/26/2003 0:30	28.17	82.71	32.19	77.10	5.03	
9/26/2003 1:00	28.15	82.67	32.24	74.90	4.89	
9/26/2003 1:30	28.13	82.63	31.97	74.00	4.84	
9/26/2003 2:00	28.12	82.62	32.45	73.00	4.76	
9/26/2003 2:30	28.14	82.65	32.37	69.50	4.53	
9/26/2003 3:00	28.08	82.54	32.45	73.10	4.77	
9/26/2003 3:30	28.06	82.51	32.30	70.80	4.62	
9/26/2003 4:00	28.06	82.51	32.01	70.10	4.59	
9/26/2003 4:30	28.07	82.53	31.90	66.40	4.34	
9/26/2003 5:00	28.04	82.47	31.96	63.70	4.17	
9/26/2003 5:30	27.97	82.35	31.37	60.30	3.97	
9/26/2003 6:00	28.07	82.53	31.87	58.10	3.80	
9/26/2003 6:30	27.97	82.35	31.75	58.90	3.87	
9/26/2003 7:00	27.99	82.38	31.78	55.10	3.62	
9/26/2003 7:30	28.00	82.40	31.99	52.60	3.45	
9/26/2003 8:00	27.98	82.36	31.68	53.10	3.48	
9/26/2003 8:30	27.93	82.27	31.66	54.90	3.61	
9/26/2003 9:00	27.80	82.04	31.13	62.50	4.13	
9/26/2003 9:30	27.74	81.93	31.14	64.30	4.25	
9/26/2003 10:00	27.74	81.93	31.00	68.20	4.51	
9/26/2003 10:30	27.73	81.91	31.12	68.90	4.55	
9/26/2003 11:00	27.66	81.79	31.14	68.50	4.53	
9/26/2003 11:30	27.63	81.73	31.32	68.40	4.52	
9/26/2003 12:00	27.62	81.72	31.63	67.30	4.44	
9/26/2003 12:30	27.64	81.75	32.11	66.30	4.37	
9/26/2003 13:00	27.69	81.84	32.08	66.40	4.37	
9/26/2003 13:30	27.73	81.91	32.25	68.20	4.48	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/26/2003 14:00	27.79	82.02	32.34	71.10	4.67	
9/26/2003 14:30	27.89	82.20	32.45	72.10	4.72	
9/26/2003 15:00	27.94	82.29	32.51	73.00	4.77	
9/26/2003 15:30	28.01	82.42	32.37	75.20	4.92	
9/26/2003 16:00	28.06	82.51	32.10	79.00	5.17	
9/26/2003 16:30	28.32	82.98	32.33	80.30	5.22	
9/26/2003 17:00	28.35	83.03	32.22	81.90	5.33	
9/26/2003 17:30	28.45	83.21	32.19	84.20	5.47	
9/26/2003 18:00	28.44	83.19	32.00	83.60	5.44	
9/26/2003 18:30	28.40	83.12	32.15	84.30	5.48	
9/26/2003 19:00	28.33	82.99	32.12	79.60	5.18	
9/26/2003 19:30	28.33	82.99	32.14	82.90	5.40	
9/26/2003 20:00	28.23	82.81	32.10	82.10	5.36	
9/26/2003 20:30	28.18	82.72	32.27	82.70	5.39	
9/26/2003 21:00	28.13	82.63	32.50	81.60	5.32	
9/26/2003 21:30	28.11	82.60	32.57	82.80	5.39	
9/26/2003 22:00	28.10	82.58	32.61	81.60	5.32	
9/26/2003 22:30	27.95	82.31	32.87	84.40	5.51	
9/26/2003 23:00	28.03	82.45	32.75	81.90	5.34	
9/26/2003 23:30	27.96	82.33	32.62	79.40	5.19	
9/27/2003 0:00	27.89	82.20	33.09	77.90	5.08	
9/27/2003 0:30	27.83	82.09	33.22	76.50	4.99	
9/27/2003 1:00	27.79	82.02	33.22	75.40	4.92	
9/27/2003 1:30	27.73	81.91	33.41	74.00	4.83	
9/27/2003 2:00	27.71	81.88	33.29	72.40	4.73	
9/27/2003 2:30	27.62	81.72	33.56	71.40	4.66	
9/27/2003 3:00	27.61	81.70	33.29	70.40	4.61	
9/27/2003 3:30	27.60	81.68	33.34	65.90	4.31	
9/27/2003 4:00	27.54	81.57	33.16	71.20	4.67	
9/27/2003 4:30	27.53	81.55	32.96	69.20	4.55	
9/27/2003 5:00	27.48	81.46	33.01	68.40	4.49	
9/27/2003 5:30	27.46	81.43	32.82	66.80	4.40	
9/27/2003 6:00	27.41	81.34	32.69	67.50	4.45	
9/27/2003 6:30	27.39	81.30	32.92	64.30	4.23	
9/27/2003 7:00	27.35	81.23	32.77	61.60	4.06	
9/27/2003 7:30	27.27	81.09	32.51	65.90	4.35	
9/27/2003 8:00	27.27	81.09	32.48	66.20	4.38	
9/27/2003 8:30	27.28	81.10	32.62	64.10	4.24	
9/27/2003 9:00	27.29	81.12	32.99	68.10	4.48	
9/27/2003 9:30	27.32	81.18	32.91	67.60	4.46	
9/27/2003 10:00	27.21	80.98	32.79	75.10	4.96	
9/27/2003 10:30	27.49	81.48	32.99	74.40	4.88	
9/27/2003 11:00	27.56	81.61	33.07	76.60	5.02	
9/27/2003 11:30	27.66	81.79	32.83	78.50	5.15	

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/27/2003 12:00	27.73	81.91	32.71	81.80	5.36	
9/27/2003 12:30	27.80	82.04	32.87	85.70	5.61	
9/27/2003 13:00	27.93	82.27	32.53	88.80	5.80	
9/27/2003 13:30	27.98	82.36	32.63	88.90	5.80	
9/27/2003 14:00	27.98	82.36	32.60	88.80	5.80	
9/27/2003 14:30	27.99	82.38	32.60	88.70	5.79	
9/27/2003 15:00	27.91	82.24	32.50	86.40	5.65	
9/27/2003 15:30	27.89	82.20	32.72	85.70	5.60	
9/27/2003 16:00	27.88	82.18	32.21	83.10	5.45	
9/27/2003 16:30	27.88	82.18	32.70	82.30	5.38	
9/27/2003 17:00	27.89	82.20	32.49	79.70	5.21	
9/27/2003 17:30	27.89	82.20	32.40	81.70	5.35	
9/27/2003 18:00	27.92	82.26	32.62	80.10	5.23	
9/27/2003 18:30	27.88	82.18	32.42	80.30	5.26	
9/27/2003 19:00	27.87	82.17	32.58	81.00	5.30	
9/27/2003 19:30	27.84	82.11	32.82	81.20	5.31	
9/27/2003 20:00	27.80	82.04	32.63	79.40	5.20	
9/27/2003 20:30	27.75	81.95	32.58	78.00	5.11	
9/27/2003 21:00	27.67	81.81	32.60	78.40	5.15	
9/27/2003 21:30	27.59	81.66	32.90	78.80	5.17	
9/27/2003 22:00	27.55	81.59	32.36	77.30	5.09	
9/27/2003 22:30	27.49	81.48	32.32	77.20	5.09	
9/27/2003 23:00	27.45	81.41	32.29	76.40	5.04	
9/27/2003 23:30	27.40	81.32	32.30	75.50	4.99	
9/28/2003 0:00	27.33	81.19	32.46	75.20	4.97	
9/28/2003 0:30	27.29	81.12	32.34			
9/28/2003 1:00	27.27	81.09	32.30			
9/28/2003 1:30	27.24	81.03	32.30			
9/28/2003 2:00	27.21	80.98	32.46			
9/28/2003 2:30	27.19	80.94	32.34			
9/28/2003 3:00	27.14	80.85	32.28			
9/28/2003 3:30	27.14	80.85	32.44			
9/28/2003 4:00	27.08	80.74	32.40			
9/28/2003 4:30	27.05	80.69	32.40			
9/28/2003 5:00	26.99	80.58	32.59			
9/28/2003 5:30	26.93	80.47	32.25			
9/28/2003 6:00	26.83	80.29	32.51			
9/28/2003 6:30	26.77	80.19	32.09			
9/28/2003 7:00	26.69	80.04	31.89			
9/28/2003 7:30	26.64	79.95	32.06			
9/28/2003 8:00	26.65	79.97	32.00			
9/28/2003 8:30	26.68	80.02	32.13			
9/28/2003 9:00	26.75	80.15	31.89			
9/28/2003 9:30	26.77	80.19	31.61			

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/28/2003 10:00	26.81	80.26	31.81			
9/28/2003 10:30	26.83	80.29	31.80			
9/28/2003 11:00	26.86	80.35	31.42			
9/28/2003 11:30	26.92	80.46	31.43			
9/28/2003 12:00	26.98	80.56	31.39			
9/28/2003 12:30	27.08	80.74	31.49			
9/28/2003 13:00	27.45	81.41	31.48			
9/28/2003 13:30	27.65	81.77	31.34			
9/28/2003 14:00	27.70	81.86	31.01			
9/28/2003 14:30	27.79	82.02	31.08			
9/28/2003 15:00	27.79	82.02	31.39			
9/28/2003 15:30	27.78	82.00	31.22			
9/28/2003 16:00	27.70	81.86	30.93			
9/28/2003 16:30	27.65	81.77	31.33			
9/28/2003 17:00	27.64	81.75	31.43			
9/28/2003 17:30	27.61	81.70	30.88			
9/28/2003 18:00	27.57	81.63	31.22			
9/28/2003 18:30	27.56	81.61	31.34			
9/28/2003 19:00	27.53	81.55	31.71			
9/28/2003 19:30	27.50	81.50	32.19			
9/28/2003 20:00	27.46	81.43	32.04			
9/28/2003 20:30	27.42	81.36	31.98			
9/28/2003 21:00	27.37	81.27	32.00			
9/28/2003 21:30	27.34	81.21	32.13			
9/28/2003 22:00	27.32	81.18	31.94			
9/28/2003 22:30	27.30	81.14	31.89			
9/28/2003 23:00	27.26	81.07	31.94			
9/28/2003 23:30	27.24	81.03	31.95			
9/29/2003 0:00	27.21	80.98	31.73			
9/29/2003 0:30	27.16	80.89	31.73			
9/29/2003 1:00	27.10	80.78	31.63			
9/29/2003 1:30	27.06	80.71	31.78			
9/29/2003 2:00	27.02	80.64	32.23			
9/29/2003 2:30	27.00	80.60	32.06			
9/29/2003 3:00	27.02	80.64	31.88			
9/29/2003 3:30	27.00	80.60	32.15			
9/29/2003 4:00	27.01	80.62	32.08			
9/29/2003 4:30	26.97	80.55	32.07			
9/29/2003 5:00	26.92	80.46	31.93			
9/29/2003 5:30	26.86	80.35	31.81			
9/29/2003 6:00	26.83	80.29	31.72			
9/29/2003 6:30	26.76	80.17	32.17			
9/29/2003 7:00	26.71	80.08	32.14			
9/29/2003 7:30	26.59	79.86	31.50			

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/29/2003 8:00	26.56	79.81	31.50			
9/29/2003 8:30	26.55	79.79	31.54			
9/29/2003 9:00	26.68	80.02	31.83			
9/29/2003 9:30	26.81	80.26	31.15			
9/29/2003 10:00	26.82	80.28	30.88			
9/29/2003 10:30	26.83	80.29	30.93			
9/29/2003 11:00	26.73	80.11	30.78			
9/29/2003 11:30	26.70	80.06	31.11			
9/29/2003 12:00	26.73	80.11	31.20			
9/29/2003 12:30	26.76	80.17	30.93			
9/29/2003 13:00	26.80	80.24	31.07			
9/29/2003 13:30	26.84	80.31	30.93			
9/29/2003 14:00	26.87	80.37	31.80			
9/29/2003 14:30	26.90	80.42	31.93			
9/29/2003 15:00	26.88	80.38	31.54			
9/29/2003 15:30	26.89	80.40	31.50			
9/29/2003 16:00	26.89	80.40	31.38			
9/29/2003 16:30	26.89	80.40	31.54			
9/29/2003 17:00	26.89	80.40	31.49			
9/29/2003 17:30	26.86	80.35	31.34			
9/29/2003 18:00	26.82	80.28	31.24			
9/29/2003 18:30	26.83	80.29	31.01			
9/29/2003 19:00	26.80	80.24	31.02			
9/29/2003 19:30	26.76	80.17	31.18			
9/29/2003 20:00	26.76	80.17	31.12			
9/29/2003 20:30	26.75	80.15	30.71			
9/29/2003 21:00	26.68	80.02	31.00			
9/29/2003 21:30	26.62	79.92	31.52			
9/29/2003 22:00	26.61	79.90	30.93			
9/29/2003 22:30	26.62	79.92	31.02			
9/29/2003 23:00	26.64	79.95	31.47			
9/29/2003 23:30	26.65	79.97	31.12			
9/30/2003 0:00	26.63	79.93	31.35			
9/30/2003 0:30	26.57	79.83	31.12			
9/30/2003 1:00	26.58	79.84	30.76			
9/30/2003 1:30	26.55	79.79	31.43			
9/30/2003 2:00	26.48	79.66	31.34			
9/30/2003 2:30	26.48	79.66	31.39			
9/30/2003 3:00	26.46	79.63	31.51			
9/30/2003 3:30	26.44	79.59	31.50			
9/30/2003 4:00	26.38	79.48	31.52			
9/30/2003 4:30	26.40	79.52	31.50			
9/30/2003 5:00	26.36	79.45	31.46			
9/30/2003 5:30	26.34	79.41	31.35			

DateTime (mm/dd/year hr:min)	Temperature (C)	Temperature (F)	Salinity (ppt)	Dissolved Oxygen (%)	Dissolved Oxygen (mg/l)	NOTES
------------------------------------	--------------------	--------------------	-------------------	----------------------------	-------------------------------	-------

9/30/2003 6:00	26.32	79.38	30.78			
9/30/2003 6:30	26.20	79.16	30.98			
9/30/2003 7:00	26.17	79.11	30.56			
9/30/2003 7:30	26.14	79.05	30.14			
9/30/2003 8:00	26.09	78.96	29.92			
9/30/2003 8:30	26.13	79.03	30.33			
9/30/2003 9:00	26.17	79.11	29.63			
9/30/2003 9:30	26.18	79.12	29.18			
9/30/2003 10:00	26.12	79.02	30.25			
9/30/2003 10:30	26.14	79.05	30.17			
9/30/2003 11:00	26.15	79.07	30.02			
9/30/2003 11:30	26.17	79.11	30.27			
9/30/2003 12:00	26.21	79.18	30.40			
9/30/2003 12:30	26.25	79.25	30.34			
9/30/2003 13:00	26.30	79.34	30.35			
9/30/2003 13:30	26.36	79.45	30.15			
9/30/2003 14:00	26.44	79.59	29.80			
9/30/2003 14:30	26.62	79.92	28.79			
9/30/2003 15:00	26.77	80.19	27.96			
9/30/2003 15:30	26.81	80.26	27.57			
9/30/2003 16:00	26.96	80.53	25.94			
9/30/2003 16:30	27.05	80.69	25.64			
9/30/2003 17:00	27.10	80.78	25.53			
9/30/2003 17:30	27.17	80.91	24.91			
9/30/2003 18:00	27.12	80.82	24.47			
9/30/2003 18:30	26.99	80.58	24.39			
9/30/2003 19:00	26.91	80.44	23.80			
9/30/2003 19:30	26.84	80.31	23.64			
9/30/2003 20:00	26.83	80.29	23.37			
9/30/2003 20:30	26.86	80.35	24.48			
9/30/2003 21:00	26.84	80.31	24.65			
9/30/2003 21:30	26.87	80.37	24.88			
9/30/2003 22:00	26.91	80.44	25.73			
9/30/2003 22:30	26.92	80.46	25.73			
9/30/2003 23:00	26.93	80.47	26.02			
9/30/2003 23:30	26.89	80.40	25.23			